

Name _____ Student ID _____

The exam is closed book and closed notes. You may use three $8\frac{1}{2} \times 11$ sheets of paper with formulas, etc. You may also use the handouts on “brand name distributions” and Greek letters. Put all of your work on this test form (use the back if necessary). Show your work or give an explanation of your answer. No credit for numbers with no indication of where they came from.

The points for the questions total to 200. There are 8 pages and 8 problems.

1. [25 pts.] Suppose the conditional distribution of Y given X is $\text{Bin}(n, X)$, where n is a constant and X is a random variable having mean μ and variance σ^2 .

(a) Find $E(Y)$.

(b) Find $\text{var}(Y)$.

2. [25 pts.] Define

$$f(x) = c \cdot \frac{1 + x^2}{1 + \sqrt{|x|} + x^2 + |x|^{10/3}}, \quad -\infty < x < \infty.$$

(a) Show that there exists a constant c such that f is a PDF.

(b) If X is a random variable having this PDF, for what positive real numbers β does $E(|X|^\beta)$ exist?

3. [25 pts.] Suppose X_1, X_2, \dots are IID $\text{Poi}(\mu)$ random variables and

$$\bar{X}_n = \frac{1}{n} \sum_{i=1}^n X_i \quad (*)$$

What is the approximate normal distribution of

$$e^{\bar{X}_n} - e^{-\bar{X}_n}$$

when n is large?

4. [25 pts.] Suppose X_1, X_2, \dots are IID $\text{Gam}(\alpha, 1)$ random variables. What is the variance stabilizing transformation: for what function g does $g(\bar{X}_n)$ have approximate normal distribution for large n with variance that is a constant function of the parameter α ? As usual, \bar{X}_n is defined by equation (*) in problem 3.

5. [25 pts.] Suppose \mathbf{X} is a random vector having mean vector

$$\boldsymbol{\mu} = \begin{pmatrix} \mu \\ \mu \end{pmatrix}$$

and variance matrix

$$\mathbf{M} = \begin{pmatrix} 1 & \rho \\ \rho & 1 \end{pmatrix}$$

Find the mean vector and variance matrix of $\mathbf{Y} = \mathbf{a} + \mathbf{B}\mathbf{X}$, where

$$\mathbf{a} = \begin{pmatrix} 1 \\ 2 \end{pmatrix}$$

$$\mathbf{B} = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$$

6. [25 pts.] Suppose X is a $\text{Beta}(\theta, \theta)$ random variable. Find the PDF of the random variable $Y = \sqrt{X}$. The definition of a function describes the domain as well as the rule.

7. [25 pts.] Suppose the random vector (X, Y) has the PDF

$$f(x, y) = c(\theta)(x + y)^\theta, \quad 0 < x < 1, \quad 0 < y < 1,$$

where $\theta > 0$ is a parameter and $c(\theta)$ is a function of θ (that does not need to be known to do the problem). Find the conditional PDF of Y given X . The definition of a function describes the domain as well as the rule.

8. [25 pts.] Suppose the conditional distribution of Y given X is $\text{Beta}(X, 1)$, and suppose the marginal distribution of X is $\text{Gam}(\alpha, \lambda)$. What is the conditional distribution of X given Y ? Since this is a brand name distribution, no integrals need be done; it is enough to name the distribution and give its parameters as a function of y , α and λ . (Hint: gamma function recursion formula and laws of exponents.)